



Alligator





This costume is designed to be worn by someone of an average

problems please call Costume Specialists at 1-800-596-9357

- build and approximately 5'5" to 5'9" tall.

  ☐ The wearer ought to be of reasonable strength and stamina.
- ☐ T-shirt and shorts are best worn under the costume. It's advisable that the wearer drink plenty of liquids before and after the event.
- ☐ The costume must be worn WITH shoes.
- Be sure to have a dress rehearsal. It takes two people about 10 to 15 minutes to put on the costume. Becoming comfortable in the costume before the event will insure the best performance.
- □ Have Fun!!

# Wearing Instructions For Alligator



\This is
Alligator's
Parts List



Electrical Vest



2 Endura Batteries and VL-2 Charger



2 BSC Fans(located in the Body)



Body



Shoe Bases and Bag



Frame Extension, PVC
Pipes and
Storage Bag



Shoulder/Neck Strap

### ADDITIONAL ITEMS NOT PICTURED:

- V-Mount (located in Electrical Vest)
- Y-Cable (located in Body )
- 1 Dust Bags
- Charger Bag
- Cleaning Instructions
- Shipping Trunk

### Alligator





1 Check the 1 Inventory. Make sure the Batteries are Fully charged.



2 Insert a fully
2 charged Battery
into the V-Mount
Plate. Secure the
Battery and slide the
V-Mount Plate into
the back pocket of
the Vest. Allow the
Power Cord to hang
out of the pocket on
the right hand side.



Put on the Vest and clip the front buckles.



Slide the PVC Pipes into the pockets located on the back of the Vest.



5 Insert the Pins on the sides of the Pipes into the holes on the Pipes. This controls the height and visibility of the Costume. Make sure to push the Pins through to the other side of the Pipes until they clicks into place.



Step into the Costume.
Reach into the Costume leg and locate the elastic cuff. Slide foot into the cuff so that the top elastic sits at the knee and the bottom elastic is secure at the ankle.

## Alligator





Locate the Shoulder/Neck Strap on the inside of the Costume. Fasten the clip to secure it in place.



Place the wearer's foot into the Shoe Base. Secure the wearer's shoe into the sandal by fastening the velcro.



Attach the velcro
on the Shoe Base
to the velcro on the
Costume making sure
to line up the center
front and the center
back. This should be a
snug fit.



1 O Extension Frame into the head of the costume. Attach the top of the Frame Extension to the velcro tabs inside the head of the costume. The bend of the Extension Frame should be facing forward.



Plug the Power Cord into the Y-Cable in the Costume. The Fans should begin to run.



1 2 Pull the Costume 2 over the wearer's head. Slide the Frame Extension into the pipes on the back of the Vest.

### Alligator





13 Fasten the zipper and velcro.

Costume inflation should take approximately 45 seconds.



1 Alligator is now ready to entertain!



Optional clothing:

Safari Hat and Jacket

Baseball Uniform w/ Red Tennis Shoes

Hawaiian Shirt and Shorts w/Blue Tennis Shoes

Once the costume is inflated, have the wearer check the visibility.

The best visibility can be achieved by adjusting the length of the Support Straps.

If the viewing area is too low, shorten the Support Straps which will raise the viewing area.

If the viewing is too high, lengthen the Support Straps which will drop the viewing area.

The Frame Extension should be raised and lowered, with the adjustments of the Suppport Straps, by moving the pegs up and down the Pipes.

BUT the weight of the Body should not be held by the Frame Extension.