

Easter Bunny





- ☐ This costume is designed to be worn by someone of an average build, reasonable strength and stamina. The wearer should be approximately 5'5" to 5'9" tall.
- ☐ The costume MUST be worn WITH shoes. T-shirt and shorts are best worn under the costume. It's advisable that the wearer drink plenty of liquids before and after the event.
- ☐ Make sure the batteries are fully charged. Each battery takes about 2 hours to fully charge.
- ☐ Be sure to have a dress rehearsal. It takes two people about 10 to 15 minutes to put on the costume. Becoming comfortable in the costume before the event will ensure the best performance.
- ☐ HAVE FUN!

Easter Bunny



VThis is
Easter Bunny's
Parts List!



Electrical Backpack



3 Support Straps/ attached to Waist Hoop



2 BSC Fans (located in the Body)



Body



Shoe Bases



2 Endura Batteries and VL-2 Charger



Jumpsuit

ADDITIONAL ITEMS NOT PICTURED:

- V-Mount (located in Electrical Backpack)
- Y-Cable (located in Body)
- Snap Hoop(located in Body)
- Frame Extension (look may vary)
- Dust Bag
- Shoe Bag
- Charger Bag
- Cleaning Instructions
- Shipping Trunk


Easter Bunny





Check the Inventory. Make sure the Batteries are fully charged.

On the side of the Battery is a button that indicates how much life is left in the Battery.



2 Insert a fully charged Battery into the V-mount Plate. Slide the Battery into the pocket on the back of the Backpack. Fasten the bag closed, allowing the Power Cord to hang out of the right side of the bag.




If the Jumpsuit is Inot on the Bunny follow step 3 thru 5. Pull the Jumpsuit up on the Bunny Body. Velcro the Jumpsuit closed under the Tail.

Velcro the Fan hole opening to the Body.



Velcro the Tail in place.





Center the Tail in the hole of the Jumpsuit and started the zipper on the Jumpsuit.



Pull the Jumpsuit **J** up to the Arms and pull the arms through the sleeve of the Jumpsuit.



Locate the Snap on the Body around the neck. Snap the Collar of the Jumpsuit to the Body.



6 Put on Backpack. Clip the clip across the chest and around waist to secure in place. Adjust so the strap fits comfortably around the chest & waist, just above hips.

Wearing Instructions For Easter Bunny





Reach into the Costume legs and find the Elastic Cuffs.

Step foot into the cuff so that the top elastic sits at the knee, and the bottom elastic is secure at the ankle.



Place the wearer's foot onto the Shoe

Secure the wearer's shoe in the sandal with the velcro straps.




Attach the velcro on the Shoe Base to the velcro on the Costumes foot.

Line up the center front and the center back.
This should be a snug



1 O Inside the Costume there are Support Straps attached to the Waist Snap Hoop. Clip the straps to the top of the Backpack. Adjust the straps at the top of the Backpack to achieve the appropriate height. The straps will hold the weight of the Costume.



1 Inside the Head of the Costume is a velcro tab called a "Clutchy". Velcro the Frame Extension to the Clutchy. Pull the Costume over the wearer and the Backpack.



12 Insert the Frame Extension into the pipes located on the back of the Backpack.

The weight of the
Costume should
NOT be on the Frame
Extension

Wearing Instructions For Easter Bunny





13 To adjust the height of the Costume, put Pins into holes on the pipes to raise the Frame Extension. The height may have to be determined after the wearer is inside the inflated Costume.



Plug the Power Cord on the Backpack into the Y-Cable. The Fans should begin to run.



15 Zip and velcro the Fur Body closed. Let the Costume inflate.

Inflation takes approximately 45 seconds.



16 Adjust the Tail in the Zipper and zip the Jumpsuit closed.



17 Velcro the Collar on the Jumpsuit closed.



18 Easter Bunny is now ready to entertain.

Easter Bunny



Once the Costume is inflated, have the wearer check the visibility.

The best visibility can be achieved by adjusting the length of the Support Straps.

If the viewing area is too low, shorten the Support Straps which will raise the viewing area.

If the viewing is too high, lengthen the Support Straps which will drop the viewing area.

The Frame Extension should be raised and lowered, with the adjustments of the Suppport Straps, by moving the pins up and down the Pipes.

BUT the weight of the Body should not be held by the Frame Extension.